

Queen Elizabeth Hospital Birmingham



Part of University Hospitals Birmingham

NHS Foundation Trust



Having your haemodialysis line removed

Delivering the best in care

UHB is a no smoking Trust

To see all of our current patient information leaflets please visit
www.uhb.nhs.uk/patient-information-leaflets.htm

Introduction

This leaflet has been written to give you information about having your tunnelled haemodialysis line removed.

Why is the line being removed?

There are many reasons for removing a haemodialysis line. These can include:

- your fistula has been successfully needled on 3-4 occasions in a row
- infection of your line
- your line is blocked and is no longer working
- your line is no longer needed

Your kidney doctor or nurse will give you an appointment to come in as an out-patient to have your line removed.

Where will the line be removed and is there any special preparation?

Haemodialysis lines are normally removed in 301 procedure room by one of the kidney doctors.

The line will be removed under local anaesthetic so you will stay awake and the procedure normally takes about 20-30 minutes.

You can drink normally before the procedure and have a light meal.

If you take Warfarin to thin your blood it may need to be stopped before your line is removed to prevent bleeding. A special blood test will be taken to check that your blood is clotting properly before the procedure. If you take clopidogrel, you should check with your kidney doctor

whether this needs to be stopped before your line is removed.

How is the line removed?

As the haemodialysis line is tunnelled under the skin the line cannot just be pulled out and will need to be gently released. The skin around the area will be cleaned and a small amount of local anaesthetic injected into the area to make it numb (so it does not hurt). The injection will sting a little but will soon make the skin become numb. The doctor will then be able to make a small cut in your skin. This will allow the doctor to loosen the line from under the skin. You may feel a little bit of pressure but it should not hurt. When the line has been loosened the line should be able to come out easily.

The doctor will remove the line whilst you are breathing out and may ask you to hold your breath. The doctor and nurse will explain exactly what they want you to do.

As the line is removed gentle pressure will be placed over the site where you had the line going into your skin for about 5 minutes. A couple of stitches are normally put into the skin and a dressing is placed over the wound.

If there is bleeding after the procedure, you may be asked to remain on the bed for a time and have your blood pressure and pulse taken.

If there is no bleeding and your blood pressure and pulse are stable you will be able to go home.

What should I look out for after my line has been removed?

You will need to check for:

- **bleeding** – it is normal for there to be a small amount of bleeding onto the dressing. However if the dressing becomes full of blood contact your nurse or doctor and apply pressure over the dressing if necessary.
- **soreness** – when the local anaesthetic wears off you may experience some discomfort. Take your normal painkillers (paracetamol for example) to take away the discomfort.
- **swelling** – it is normal for there to be slight swelling around the area. If the swelling is getting bigger please contact your nurse or doctor.

You should only take shallow baths to avoid 'dirty' water and reduce the risks of getting an infection. Showering with clean flowing water is preferred until the stitches have been removed. If the dressing becomes wet then it should be replaced.

Once the stitches have been removed you can bathe normally and there will be no need to have a dressing.

When will the stitches come out?

When you go home you will need to keep your dressing clean and dry. The stitches should be removed after 10-14 days. If you are on dialysis then one of the nurses should be able to remove the stitches when you come to the unit. Otherwise you will need to book an appointment with the practice nurse at your GP surgery.

What if my line can't be removed?

Very occasionally a haemodialysis line may become stuck to the blood vessel wall and the line can't be removed under

local anaesthetic. If this happens your kidney doctor will discuss the next steps with you. Your line may need to be removed with the help of the X-ray doctors or even under general anaesthetic (while you are asleep).

Where can I find further sources of information?

Further information can be obtained from:

The National Kidney Federation website: www.kidney.org.uk

West Midlands Renal Network website: www.wmrn.co.uk

NHS Choices website: www.nhs.uk

Useful numbers

301 Acute	0121 371 3096
301 Chronic	0121 371 3011
Old Renal Dialysis Unit	0121 627 2910
Aston Cross Dialysis Centre	0121 333 6766
Tipton Dialysis Centre	0121 557 8313
City Hospital Renal Dialysis Unit	0121 507 4014
Kings Norton Dialysis Centre	0121 486 4280
Lichfield Renal Unit	01543 262363
Kidderminster Renal Unit	01562 826370
Hereford Dialysis Centre	01432 277929
Woodgate Valley Dialysis Centre	0121 421 0090
Worcester Dialysis Centre	01905 721 940

The Kidney Assessment Team are available:

08:00-20:00 Monday-Friday and 08:00-16:00 Saturday and Sunday, and can be contacted on 07887985486.



The Trust provides free monthly health talks on a variety of medical conditions and treatments. For more information visit www.uhb.nhs.uk or call 0121 627 7803

Renal Unit
Queen Elizabeth Hospital Birmingham
Mindelsohn Way, Edgbaston,
Birmingham, B15 2TH
Telephone: 0121 627 2000
