



Boric Acid 600mg Vaginal Capsules

Read this leaflet carefully before you start taking this medicine because it contains important information for you.

This medicine has been prescribed for you only. Do not pass it on to others. It may harm them, even if their signs of illness are the same as yours. If you get any side effects, talk to your doctor or pharmacist via www.umbrellahealth.co.uk or tel:0121 2375700. This includes any possible side effects not listed in this leaflet.

What is in this leaflet?

1. What are boric acid vaginal capsules and what are they used for
2. What you need to know before you use boric acid vaginal capsules
3. How to use boric acid vaginal capsules
4. Possible side effects
5. How to store boric acid vaginal capsules.

1. What are boric acid vaginal capsules and what are they used for.

The name of this medication is Boric Acid 600mg Vaginal Capsules. Each capsule contains: - Boric Acid Powder, Gelatin clear hard capsule

They are used as an alternative treatment for vaginal health problems including specific types of vaginal thrush. They are used typically as an alternative treatment for non-albicans Candida species and Candida with azole resistance.

2. What you need to know before you use boric acid vaginal capsules

This product is an unlicensed product*. They have a shelf-life 28 days from the date of manufacture.

Do NOT use the capsules:

- if you are allergic to boric acid, or any of the other ingredients of this medicine (listed above)
- if you are pregnant or trying to become pregnant

Boric acid capsules can damage latex condoms and diaphragms resulting in risk of pregnancy.

It is usual for the medication to 'leak out' of the vagina. It is sometimes helpful to wear a panty liner during the treatment course.

3. How to use boric acid vaginal capsules

Do NOT eat (ingest). The capsules are for vaginal use ONLY.

Use daily at night for 14 days unless directed otherwise by your prescriber.

4. Possible side effects

Boric Acid vaginal capsules are generally considered safe with only minimal side effects. They may cause irritation (burning, redness and pain) of the vaginal wall. If this occurs discuss with your prescriber who may advise stopping the use of boric acid capsules or reducing the dose.

5. How to store boric acid vaginal capsules.

Store in a cool dry place and away from children.

*This product is an unlicensed product. It is manufactured extemporaneously under section 10 exemption of the Medicines Act 1968/Human Medicines Regulation 2012 as amended. It is manufactured under Good Manufacturing Practice (GMP) in an MHRA licensed manufacturing unit: MS 19162. Reference: Statement of Conformity Pharmacy Production, Queens Medical Centre, Derby Road, Nottingham NG7 2UH

Accessibility

To view this information in a different language or use text-to-speech reader visit www.uhb.nhs.uk, click the yellow and black circular icon in the bottom right of the web page to open the ReachDeck toolbar and then use the search bar to search by the name of the leaflet. If you require this information in another format such as braille, please email interpreting.service@uhb.nhs.uk.



How did we do? 😊😊😊

If you have recently used our services we'd love to hear about your experience. Please scan the QR code or follow the link to share your feedback to help us improve our services. **Thank you.** www.uhb.nhs.uk/fft

