



Pirfenidone Information Leaflet

Building healthier lives

UHB is a no smoking Trust

Why am I taking this?

This treats Idiopathic Pulmonary Fibrosis (IPF)



How do I take these?

Take each dose at eight hourly intervals, with food.

Avoid grapefruit juice and chargrilled meats.

Use sun block (SPF 50+) and cover up outside.

Do I need blood test monitoring?

Blood tests are required at the start of treatment, monthly for six months and then every three months thereafter

Pregnant or planning a pregnancy?

Make sure you speak to your doctor first. Inform your doctor if you have not taken pirfenidone for 14 days or more.

Report any of the following **side effects** to your IPF team as soon as they occur:

- Peeling/blistering of the skin
- Sudden weight loss
- Overwhelming tiredness
- Yellowing of the whites of the eyes
- Yellowing of skin
- Dark urine
- Pain on the upper right side of your stomach
- Unexplained bleeding and bruising

The following medication should be avoided with pirfenidone:

Carbamazepine	Fluvoxamine	Primidone
Cimetidine	Isoniazid	Rifampicin
Ciprofloxacin	Leflunomide	Ritonavir
Clarithromycin	Nalidixic-acid	St John's Wort
Enoxacin	Norfloxacin	Teriflunomide
Erythromycin	Phenobarbital	
Fosphenytoin	Phenytoin	
Combined hormonal contraceptives		

The following medications can be taken with caution with pirfenidone:

Amiodarone	Ethylestradiol	Moxifloxacin
Amitriptyline	Fenofibrate	Paroxetine
Aprepitant	Fluconazole	Pipemidic acid
Bupropion	Fluoxetine	Probencid
Chloramphenicol	Fluvastatin	Propafenone
Cinacalcet	Insulin	Quinidine
Citalopram	Lansoprazole	Sertraline
Clozapine	Levofloxacin	Sildenafil
Diclofenac	Ketoconazole	Terbinafine
Diltiazem	Methoxsalen	Tiabendazole
Disulfiram	Metronidazole	Topiramate
Duloxetine	Mexiletine	Voriconazole
Entacapone	Modafinil	Zafirlukast
Nicotine Omeprazole		

If you have been started on any of the above medications, please contact the IPF team for advice.

Useful Contacts:

Queen Elizabeth Hospital Birmingham

Dr. Anjali Crawshaw

Secretary – Hannah Carroll

Tel: 0121 371 4842

Professor David Thickett

Dr. Rahul Mahida

Dr. Muhammad Zafran

Secretary – Attiye Faraji

Tel: 0121 371 4841

Sr Amanda Coles ILD CNS

Tel: 0121 371 3889

ILD Clinic Co-Ordinator

Tiffany Thompson

Tel: 0121 371 5797

Heartlands, Good Hope and Solihull hospitals

Dr. Gareth Walters

Secretary – Sarah Lovatt

Tel: 0121 424 1746

Baljit Ahitan, Respiratory Pharmacist

Tel: 0121 424 0446

Show this leaflet to your doctor before starting any new medication. Please read in conjunction with the manufacturers patient information leaflet.

How did we do? 😊 😐 😞

If you have recently used our services we'd love to hear about your experience. Please scan the QR code or follow the link to share your feedback to help us improve our services. **Thank you. www.uhb.nhs.uk/fft**



Accessibility

To view this information in a different language or use text-to-speech reader visit **www.uhb.nhs.uk**, click the yellow and black circular icon in the bottom right of the web page to open the ReachDeck toolbar and then use the search bar to search by the name of the leaflet. If you require this information in another format such as braille or audio please email **interpreting.service@uhb.nhs.uk**



Interstitial Lung Disease Unit
University Hospitals Birmingham NHS Foundation Trust
